



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

TGN

RIW



Township N° IX North, Range N° I West of 2nd Meridian. Surveyed by William Harris 1816.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
25.26	Sugar, Pine, good farming land	2.23	Land level & Poor - Much Timber	4.89	Land level & Poor - Much Timber, good farming land
25.26	Land Muddy, Oak, Birch, Gum, Poplar	33.34	Land first rate - Much Sugar, Walnut	4.5	ditto
23.24	Land very Muddy, Birch, Oak, Dogwood, Oak	27.28	ditto	31.32	Land 2 nd rate Oak &c.
24.25	Land Muddy, Oak, Oak, Beech, Middleling good farming land	24.25	ditto	29.30	good farming land
23.24	Land Muddy - Oak & Beech	24.27	Land very Muddy, Oak, Oak, Birch, Sugar	29.30	Land 2 nd rate, Walnut, Birch, Oak, Sugar
13.24	Land Muddy - Oak, Oak, Birch, Poplar, Middleling good farming land	21.22	Land Muddy - Oak & Beech, Timber	20.29	Land first rate, Walnut, Much good farming land
13.14	very Muddy, poor land - Oak & Beech	15.22	Oak, Oak, Beech, Poplar, Middleling good farming land	19.20	good farming land, Walnut, Birch, Sugar
12.13	ditto	15.16	Land Muddy - Timber same -	17.20	ditto
11.12	ditto	10.15	Land very Muddy - Oak & Beech, Soil	17.18	ditto
11.12	ditto	9.10	Land that Muddy & Part Creek bottom, the bottom building good	8.17	Land first Muddy & part Muddy good for farming
1.2	ditto	3.10	Land Muddy & Poor	7.8	Part bottom, Middleling good for farming
25.26	First rate farming land - Birch, Sugar, Walnut &c.	3.2	Low wet bottom, Birch, Oak, Oak, rich Soil, rather thin	5.8	Eggs & land & ditto, Much Muddy & poor
25.26	Land rolling, 2 nd rate Soil	32.33	Land first rate, Walnut, Sugar, Birch, Oak &c.	5.6	Land Muddy, Middleling good Soil, Oak, Birch
25.27	Land Muddy, Middleling good farming land, Oak, Oak, Birch, Poplar	28.33	ditto	6.7	Land rolling, good Soil, Sugar, Poplar, Oak
25.27	Land extremely Muddy, Oak, Oak, Birch, Sugar	28.29	ditto	7.18	good farming land
25.27	Land Muddy, Oak & Beech, Timber	21.28	good farming land	18.19	Sugar, Birch, Sugar, Poplar
25.27	Muddy Poor land - Timber same	20.21	Land rolling, 2 nd rate Soil, Birch, Sugar &c.	19.20	good farming land, Walnut, Birch, Sugar
25.27	ditto	16.21	Part bottom land with good farming land, Oak & Beech, Poplar	20.21	Land 2 nd rate, Oak &c.
25.27	ditto	16.17	Bottom land rich & good for farming		
25.27	ditto	9.16	Land Muddy, Oak, Oak, Birch, Sugar, Poplar		
25.27	ditto	8.2	Land 2 nd rate, Oak &c.		

South Boundary. Apr. 3. 1811

From the Survey post Kern. East on a Random line.
 Along the South Boundary of Town. 9 N. 1 W. 6 miles &
 full 4 ch. North of Boone. Corrected and marked
 as the true West.

Met On the South Boundary of sec. 36. T. 9 N. R. 1 W.
 27.00 To a Brook 10 rods and, become N. E.
 1.000 Set a 7/8 cup post from whiter,
 11 Oak 30 in diam. here. N 50 W. 28 rods dist. to
 12 " " " 180 619 " "
 80.00 Set a post for the corner of sec. 35 & 36 from whiter,
 12 Oak 18 in diam. here. S 70 W. 24 rods dist. to,
 Hickory 10 " " " N 50 E. 7 " "
 Found here and met, Timber Brook, &c.

Met On the South Boundary of sec. 35. T. 9 N. R. 1 W.
 40.00 Set a 7/8 cup post from whiter,
 Sugar 14 in diam. here. N 69 E 13 rods dist. to,
 Do 11 " " " N 50 W. 21 " "
 71.50 To a Brook 8 rods and, become N.
 80.00 Set a post for the corner of sec. 34 & 35. from whiter,
 12 Oak 12 in diam. here. S 38 W. 31 rods dist. to,
 Do 11 " " " N 8 E. 17 " "
 Found of timber same.

Met On the South Boundary of sec. 34. T. 9 N. R. 1 W.
 40.00 Set a 7/8 cup post from whiter,
 Sugar 14 in diam. here. N 66 W. 21 rods dist. to,
 Do 5 " " " N 48 E. 22 " "
 71.00 To a Brook 12 rods and, become N. W.
 80.00 Set a post for the corner of sec. 33 & 34 from whiter,
 12 Oak 5 in diam. here. N 39 W. 25 rods dist. to,
 Do. 6 " " " N 48 E. 35 " "

I. No. 9. N. R. P. 1772 ad Mm. Ind.

Land and Fresh Water Lizards, Ash, &c,

West
40,00
54.00
43.50
80.00

Auth. Smith Brown W of R. 33 29 N. 17.
Set a 7/8 apart from which,
Lugan. 14 in. diam. 155 N. 116 N. 16 in. diam.
Ho. 10 4 " " N 69 E. 10 " "
Long Brook 50 in. diam. 160 N. 120 E.
" " Ho. 25 " " " 12 E.
Set apart for the en of ear 32 & 33 from which,
Buck 20 in. diam. N 22 E. 12 in. diam. 16
Ho 36 " " " N 31 W 36 " "
Lugan 20 in. diam. 160 N. 120 E.

West On the South Bumast off. 31 L. 9 N. R. 1 W.
4000 Set a 1/4 cup of fine white
Sugar. 5 in diam. brass. 160 E. 10 in. dist. to
Ash. 14 " " " N 84 W. 18 " "
53.50 Toa Brook. 20 in. diam., leaves of E.
8000 Set a pot for the cu of ew 31 & 32 in. fine white
Stick 14 in diam. brass. N 12 W. 20 in. dist. to
Buck 4 " " " 160 E. 19 " "
Sand 1 1/2 rats, 1 in. Sugar, Ash Walnut, &c.

Meet Oak South Burn Mt of Ga. N. I. 9. N. R. 1 W.
 40,00 Set a pole post from Whiting
 N Oak 16 a: deer: beam N 70 E 17 hms east: by
 Log road 3 a " " N 64 W 15 " "
 80,00 Moved the Temp Mt post 2 ch: South to the cross
 I. 8 + 9. N. R. 1 W. from Whiting
 4 Bent 13 in deer: Beam N 26 E 18 hms West: by
 N Oak 16 a " " N 46 W 32 " "
 Good clear land,

T. N. 9. N. N. N. 17th 2nd Mrs. Ind.

East Boundary April 1811 B127

North Outh 2nd Principal Mission, On the East Boundary
of Qu. 36. T 2 AR 1 W. From the corner of S 819 1101
E 17 W. Var. 6°. 25' E.

3.75. Long Brook 15 mls. near E.
31.00 " " L.C. 12 " " E.
40.00 At Brook 13 m. dist. stands further east of new farmstead,
Brook 13 m. dist. from L.S. & 24 m. dist. to
Hogmire 4 " " S. 75 W. 36 " "
45.00 Long Brook 14 m. dist. in the m.
61.00 " " Brook 20 m. dist. near E.
80.00 At apart further east 25 m. from whist,
Nicks 10 m. dist. from L.C. & 19 m. dist. to,
Brook 36 " " " S. 64 E. 18 " "
Sand 2 1/2 m. mudding good Brook, land; 2 m.
1/2 m. good Brook land.

North
15,500 On the East Boundary of sec. 25 T9 N R 1 W.
Iron Brook 10 mks wide, corner S.E.
3,000 " " Sugar. 12 in diam in the line.
40,000 Set apart from whetzer
Brook 13 in diam here. S.W. 11 mks dist; 10,
100. 13 " " " S.W. 24 " "
75,500 Iron Brook. 16 in diam in the line.
80,000 Set apart for the sec of sec 24 & 25. From whetzer
Brook. 12 in diam here. N.W. 7 mks dist; 10,
100. 3 " " " S.W. 17 " "
Land of middling quality Timber Brook, Sugar,

North On the East Boundary of sec. 24 T9 N R1 W.
26.00 To a Brook 10 links N. of corner S.E.
40.00 Set a post from vicinity
Back 18 in near corner N 73 E. to the creek, N.

T. N. 9. N. R. N. 17. 2nd Mer. Ind.

East On the line On the South Boundary of sec. 36.
T. 10 N. R. 1 W.
40.00 Set a 70 suppost from which,
Bassifras 9 in dia^r beam S 63 E. 20 links dist; &c,
Beck 12 " " S 80 W 6 " "
80.00 Set a post for the cor. of sec. 1. 6. 31 136 T. 9 N. 10 N. R. 1 E. 11 W.
Surveyed by
William Harris 1881.

East On the South Boundary of sec. 31. T. 10 N. R. 1 W.
From the cor. of T. 9 N. 10 N. R. 1 E. 11 W. April 5 1881.
23.00 To a Brook 10 links wide, corner N.
40.00 Set a 70 suppost from which,
Ash. 30 in dia^r beam North 15 links dist; &c,
Beck. 14 " " S 78 E. 27 " "
60.50 To a Brook 8 links wide, corner S. E.
80.00 Set a post for the cor. of sec. 31 132 from which
Sugar. 14 in. dia^r beam S 38 E. 5 links dist; &c,
Beck. 13 " " N 74 E. 28 " "
Land rich and hilly Timber Beech, Ash, & Buckeye

East On the South Boundary of sec. 32. T. 10 N. R. 1 W.
1.50 To a Brook 150 links wide, corner N. W.
5.00 " " Sec. 150 " " S. E.
11.00 " " Sec. 150 " " N. W.
40.00 Set a 70 suppost from which,
Beech 18 in dia^r beam S 61 W. 16 links dist; &c,
Sec. 11 " " N 57 E. 30 " "
80.00 Set a post for the cor. of sec. 32 133 from which,
Oak 14 in dia^r beam S 65 E. 27 links dist; &c,
Beech. 5 " " N 21 E. 23 " "
Land flat bottom covered with water; Timber
Elm, Maple, &c.

T. N. 9. N. R. N. 17. 2nd Mer. Ind.

East On the South Boundary of sec. 33 T. 10 N. R. 1 W.
10.00 To a Brook 6 links wide, corner S. E.
17.00 " " Sec. 10 " " N. W.
40.00 Set a 70 suppost from which,
Ash 20 in. dia^r beam S 81 W. 16 links dist; &c,
Beech. 10 " " S 55 E. 15 " "
80.00 Set a post for the cor. of sec. 33 134 from which,
Ash. 12 in. dia^r beam N 77 E. 5 links dist; &c,
Beech. 18 " " S 48 W. 19 " "
Land hilly Timber Oak; East 1/2 flat Elm, lot
from land.

East On the South Boundary of sec. 34 T. 10 N. R. 1 W.
40.00 Set a 70 suppost from which,
Gum. 30 in dia^r beam. N 40 E. 9 links dist; &c,
Beech. 10 " " S 49 W. 9 " "
57.00 To a Brook. 150 links wide, corner S. W.
65.00 " " Sec. 150 " " N. W.
80.00 Set a post for the cor. of sec. 34 135 from which,
Beech. 12 in dia^r beam. N 50 W. 34 links dist; &c,
Sec. 24 " " S 50 E. 28 " "
Land 1/2 mile long not Beech, Sand; 1/2 mile
flat bottom land.

East On the South Boundary of sec. 35 T. 10 N. R. 1 W.
8.50 To a Brook 40 links wide, corner S.
32.50 " " Sec. 150 " " N. W.
38.50 " " Sec. 8 " " N. W.
40.00 Set a 70 suppost from which,
Gum. 10 in dia^r beam S 46 W. 6 links dist; &c,
Beech. 5 " " S 38 E. 19 " "
59.00 Set a post in the Boundary line of Harris vs. Pinchaw
for the cor. of sec. 35 from which,

T. N. G. N. R. No 17th 2nd Mer. Ind.

Nick 14 in dia^r bears N 33 E. 14 links dist; Pa.
 Dogwood 4 " " S 20 W. 20 " "
 Sand deposit mt. Buck bottom; Ye.

Surveyed by
 James Holmes Esq.

West Boundary. April 4. 1811. B 134

North On the East Boundary of sec. 36. T. 9. N. R. 2 W.
 40.00 Set a 7th support from which,
 Nick 10 in dia^r bears West. 18 links dist; Pa.
 Maple 11 " " " N 63 E. 33 " "
 61.00 To a Oak 14 in dia^r in the line
 80.00 Set a post for the cor. of sec. 35 & 36. from which,
 Dogwood 4 in dia^r bears S 33 E. 32 links dist; Pa.
 Do 6 " " " N 33 W. 34 " "
 Sand & strata Timber Sugar, Oak, &c.

North On the East Boundary of sec. 35. T. 9. N. R. 2 W.
 38.00 To a Brook 10 links mid, corner S. E.
 40.00 Set a 7th support from which,
 Oak 14 in dia^r bears S 50 E. 18 links dist; Pa.
 Do 11 " " " N 79 W. 10 " "
 66.00 To a Nick 14 in dia^r in the line
 80.00 Set a post for the cor. of sec. 34 & 35 from which,
 Nick 12 in dia^r bears N 30 E. 20 links dist; Pa.
 Buck. 12 " " " S 74 W. 26 " "
 Sand Same as last mile.

North On the East Boundary of sec. 34. T. 9. N. R. 2 W.
 22.50 To a Brook 10 links mid, corner S. E.
 40.00 Set a 7th support from which,
 Maple 14 in dia^r bears N 10 E. 29 links dist; Pa.
 Poplar 25 " " " S 75 W. 10 " "

T. N. G. N. R. No 17th 2nd Mer. Ind.

69.50 To a Walnut 13 in dia^r stands in the line.
 80.00 Set a post for the cor. of sec. 13 & 14 from which,
 Oak 18 in dia^r bears N 46 W. 20 links dist; Pa.
 Dogwood 4 " " " S 39 W. 12 " "
 Sand & timber Same as last mile.

North On the East Boundary of sec. 13. T. 9. N. R. 2 W.
 22.50 To a Nick 18 in dia^r in the line.
 40.00 Set a 7th support from which,
 Dogwood 10 in dia^r bears N 38 W. 34 links dist; Pa.
 Oak 13 " " " S 38 E. 21 " "
 67.00 To a Brook 10 links mid, corner S. E.
 73.50 " " 20 " 8 " " " S. E.
 80.00 Set a post for the cor. of sec. 12 & 13 from which,
 Nick 12 in dia^r bears S 37 W. 3 links dist; Pa.
 Do 10 " " " S 68 E. 10 " "
 Sand & timber Same. on the N. W. 1/2 mile. 2nd 1/2 mile.
 Sand of middling quality

North On the East Boundary of sec. 12. T. 9. N. R. 2 W.
 32.50 To an Oak 30 in dia^r in the line.
 40.00 Set a 7th support from which,
 Dogwood 10 in dia^r bears N 47 W. 9 links dist; Pa.
 Butternut 18 " " " S 57 E. 31 " "
 43.50 To a Brook 10 links mid, corner S. E.
 53.50 " " Poplar 20 in dia^r stands in the line.
 80.00 Set a post for the cor. of sec. 11 & 12 from which,
 Buck. 13 in dia^r bears N 29 E. 31 links dist; Pa.
 Elm. 12 " " " N 60 W. 40 " "
 Sand & timber Same as last mile.

North On the East Boundary of sec. 1. T. 9. N. R. 2 W.
 34.75 To a Line S 53 W.

T. N. 9. N. R. No 1 W. D. M. Ind.

40.00	Set a 1/2 sup post from which Sugar 17 in. dist. bears S 8 E. 36 links dist; to No. 14 " " " N 19 W 31 " "
54.00	To a Sugar 16 in. dist. in the line.
80.00	Set a post for the cor of S. 9 & 10. N. R. 1 & 2 W. from which, Buck 5 in. dist. bears N 6 W. 13 links dist; to No. 12 " " " N 24 E. 28 " " Good land Timber Sugar, Buck, Poplar, Surveyed by James Holmes 10.1
Subdivisions Sept. 22. 1815.	
North	Return Sur. 35 & 36. T. 9. N. R. 1 W.
40.00	Set a 1/2 sup post from which, Blue Ash 3 in. dist. bears S 62 W. 29 links dist; to Sugar. 18 " " " N 28 E. 28 " "
42.50	To a small Spring branch Corner N. W.
78.50	To a small Brook Corner N. W.
80.00	Set a post for the cor of Sur. 25, 26, 35 & 36. from which, Buck 16 in. dist. bears S 71 E. 16 links dist; to Buck 12 " " " N 8 W. 12 " " Lands good for farming; Timber Ash, Buck, Sugar Sycamore.
East	On a Karam line between Sur. 25 & 36. T. 9. N. R. 1 W.
40.00	Set a temp. 1/2 sup post.
64.50	To a Brook 8 links wide, Corner N. W.
80.78	Intersect the N. R. line on East Boundary 58 links North of the post cor of Sur. 25 & 36. Some hills, Timber Oak, Hick, Buck, Elm, Poplar.
West	On the line between Sur. 25 & 36. T. 9. N. R. 1 W.
40.39	Set the temp. 1/2 sup post at the cor. dist. on the line from which, Sugar 16 in. dist. bears S 22 W. 16 links dist;

T. N. 9. N. R. No 1 W. D. M. Ind.

80.78	Buck 20 in. dist. bears N 9 E. 30 links dist; To the post cor of Sur. 25, 26, 35 & 36.
North	Return Sur. 35 & 36. T. 9. N. R. 1 W.
40.00	Set a 1/2 sup post from which, 10 in. dist. bears S 21 W. 16 links dist; to Buck 11 " " " N 32 W. 20 " "
75.00	To a small Brook Corner N. W.
80.00	Set a post for the cor of Sur. 23, 24, 25 & 26. from which, Buck 10 in. dist. bears N 62 W. 13 links dist; to No. 16 " " " N 41 E. 10 " " Land very hilly, Timber Buck, Ash, Oak, & Dogwood.
East	On a Karam line between Sur. 24 & 25. T. 9. N. R. 1 W.
40.00	Set a temp. 1/2 sup post.
80.24	Intersect the East Boundary 9 links North of the post cor of Sur. 24 & 25. Some hills, some maddening good for farming Timber Oak, Ash, & Buck.
West	On the line between Sur. 24 & 25. T. 9. N. R. 1 W.
40.12	Set the temp. 1/2 sup post at the cor. dist. on the line from which, Buck 30 in. dist. bears S 7 E. 21 links dist; and a No. 24 " " " N 21 E. 35 " "
80.24	To the post cor of Sur. 23, 24 & 25 & 26.
North	Return Sur. 23 & 24. T. 9. N. R. 1 W.
40.00	Set a 1/2 sup post from which, Dogwood 3 in. dist. bears S 37 W. 24 links dist; to Buck 20 " " " N 65 E. 21 " "
78.50	To a Brook 50 links wide, Corner N. W.
80.00	Set a post for the cor of Sur. 13, 14, 23 & 24 from which, Walnut 3 in. dist. bears N 80 W. 11 links dist; to Sugar 14 " " " N 88 E. 21 " "

East On a Random line between Sec. 13 & 24 T. 9. N. R. 17.
40.00 Set a trip. 7 in sec. post
80.25 Intersect the East Boundary 11 miles South of the post on
of sec. 13 & 24. Land is hilly and middle good for farm-
ing Timber Oak, Ash, Beech, & Poplar.

West On the same line between Sec. 13 & 24 T. 9. N. R. 17.
40.12 1/2 Set the trip. 7 in sec. post at the ar. dist. on the true line
from which in Ash. 24 in dia. bears N 36 W. 5 miles dist.
and a Sugar 3 " " " N 6 W. 21 " "
80.25 To the post on of sec. 13, 14, 23 & 24

North Return Sec. 13 & 24 T. 9. N. R. 17.
40.00 Set a 7 in sup. post from which,
Sugar 10 in dia. bears S 21 W. 7 miles dist. Page
Inwood 44 " " " N 21 W. 11 " "
80.00 Set a post for the cor. of sec. 11, 12, 13 & 24 from which,
Oak 3 in. dia. bears S 12 E. 21 miles dist. &
Do 6 " " " N 37 W. 8 " "
Land is very hilly and poor, Timber Oak & Beech,

East On a Random line between Sec. 12 & 13 T. 9. N. R. 17.
40.00 Set a trip. 7 in sec. post
70.00 To a small Spring branch, Corner N.
1/980 " " " " " " " " " " " "
80.20 Intersect the East Boundary 20 miles North of the post
on of sec. 12 & 13. Land is extremely hilly & broken
Timber Oak & Beech. Generally poor soil.

West On the same line between Sec. 12 & 13 T. 9. N. R. 17.
40.80 Set the trip. 7 in sup. post at the ar. dist. on the true line
from which, Dogwood 3 in dia. bears N 57 W. 11 1/2 miles dist.
and a Hick 17 " " " " " " " " " "

50.20 To the post on of sec. 11, 12, 13 & 24.

South On a Random line between Sec. 11 & 12 T. 9. N. R. 17.
21.50 To a creek 50 miles mid. Corner N.
40.00 Set a 7 in sup. post
80.33 Intersect the E. & W. line 25 miles East of the post on of sec.
11, 12, 13 & 24. Land is hilly and poor, Timber Oak & Beech,

North On the same line between Sec. 11 & 12 T. 9. N. R. 17.
40.16 1/2 Set the trip. 7 in sup. post at the ar. dist. on the true line.
from which, Dogwood 6 in dia. bears N 88 W. 12 miles dist.
and a Do 5 " " " " " " " " " " " "
80.33 To the post on of sec. 1, 2, 11 & 12.

East On a Random line between Sec. 1 & 12 T. 9. N. R. 17.
40.00 Set a trip. 7 in sup. post.
80.13 Intersect the East Boundary 156 miles North of the post.
on of sec. 1 & 12. Land is extremely hilly & broken,
Timber Oak & Beech, & Oak,

West On the same line between Sec. 1 & 12 T. 9. N. R. 17.
40.01 1/2 Set the trip. 7 in sup. post at the ar. dist. on the true line
from which, Hick 17 in dia. bears S 61 W. 28 miles dist.
and a Beech 16 " " " " " " " " " " " "
80.03 To the post on of sec. 1, 2, 11 & 12.

North Return Sec. 1 & 12 T. 9. N. R. 17.
25.00 To a small creek. Corner N. W.
40.00 Set a 7 in sup. post from which,
Beech 4 in dia. bears S 52 W. 11 miles dist. on,
Oak 10 " " " " " " " " " " " "
72.28 Intersect the Boundary line of Harrison's Purchase & set a post
for the cor. of sec. 1 & 12 from which,

Beck 18 in air bears. N 127.10 links west; 12
 No. 17. " " N 127.16 " "
 80.50 Intersect N. Boundary 8 1/2 m. E. of post, set post cor. of 1 & 2 from
 which Runway 26. 142 171 13 & a 2 1/2 m. E. 19
 Broken State land, Beech, Sugar, Hickory &c.

Sept 1815.
 North Return Sur 34 135. T. G. N. R. 177.
 40.00 Set a 7/8 suppost from which,
 Sugar 18 in air bears. S 21 E 5 links west; 19,
 Beck 30 " " S 36 W 27 " "
 80.00 Set a post for the cor of sw 26, 27, 34 135 from which,
 Beck 8 in air bears. S 30 W 17 links west; 19,
 Sugar 4 " " N 26 E 10 " "
 Same rate for farming Timber, Sugar &
 Walnut.

East On a Random line between Sur. 26 135. T. G. N. R. 177.
 25.00 To a small brook corner N
 39.00 " " No. 15 links mid, corner N
 40.00 Set a temp 7/8 suppost
 80.66 Intersect the N 13 line 36 links North of the post cor of
 Sur. 25, 26 35 136. Same rolling & 2nd rate.

West On the true line between Sur. 26 135. T. G. N. R. 177.
 40.33 Set the temp 7/8 suppost at the av. dist on the true line
 from which, Sugar 8 in air bears. N 7 E 12 links west;
 and a No. 20 " " S 61 W 22 " "
 80.66 To the post cor of Sur. 26, 27, 34 135.

South On a Random line between Sur. 26 135. T. G. N. R. 177.
 4.50 To a brook 50 links mid, corner N.W.
 40.00 Set a temp 7/8 suppost.
 59.50 To a small brook corner E.
 80.10 Intersect the East 131 line 120 links West of the post

Cor. of Sur. 26, 27, 34 135. Land very, and middling good
 for farming Timber Oak, Ash, Beech, & Poplar.

North On the true line between Sur. 26 & 27. T. G. N. R. 177.
 40.05 Set a 7/8 suppost at the av. dist on the true line from
 which, 13 No in air bears. N 4 E 21 links west;
 and a Beck 9 " " N 31 E 27 " "
 80.10 To the post cor of Sur. 22, 23, 26 127.

West On a Random line between Sur. 23 & 26. T. G. N. R. 177.
 12.50 To a brook 40 links mid, corner N.W.
 40.00 Set a temp 7/8 suppost.
 81.05 Intersect the N 13 line 505 links South of the post cor of
 Sur. 22, 23, 26 127.

West On the true line between Sur. 23 & 26. T. G. N. R. 177.
 40.53 Set the temp 7/8 suppost at the av. dist on the true line from
 which, 11 Oak 11 in air bears. N 34 E 3 links west; 19,
 Ash, 30 " " N 10 E 15 " "
 81.05 To the post cor of Sur. 22, 23, 26 127.
 Same extremely hilly. Timber Oak, Ash, Beech, Sugar.

South On a Random line between Sur. 22 & 23. T. G. N. R. 177.
 40.00 Set a temp 7/8 suppost.
 45.00 To a brook 50 links mid, corner S.W.
 72.50 " " No. 60 " " S.W.
 79.82 Intersect the E 17 line 41 links East of the post cor of
 22, 23, 26 127. Same very hilly, & Broken, Timber Oak,
 & Beech generally.

North On the true line between Sur. 23 & 26. T. G. N. R. 177.
 39.91 Set the temp 7/8 suppost at the av. dist on the true line from
 which, 13 No in air bears. N 5 E 16 links west; 19,

1982 Sugar 15 in diam. bears. N35 E. 6 miles dist;
To the post car of sec 14 15, 22 & 23.

West On a Random line between Sec 14 & 23. T. N. G. N. R. 177.

40.00 Set a temp. 1/4 suppost.

1985 Intersect the N 55 line. 33 miles South of the post car of
Sec 14 15, 22 & 23. Same as the same.

East On the same line between Sec 14 & 23. T. N. G. N. R. 177.

39.92 Set the temp. 1/4 suppost on the line at the ar. dist. from
whit. Sassafras 4 in diam. bears. N34 E. 6 miles dist;
and a Do. 5 " " " N41 E. 6 " "

1985 To the post car of sec 13 14 23 & 24

South On a Random line between Sec 14 & 25. T. N. G. N. R. 177.

40.00 Set a temp. 1/4 suppost.

80.29 Intersect the E 77 line at the post car of sec 14 15, 22 & 23.
Same as the same. Timber Oak & Beech.

North On the same line between Sec 14 & 25. T. N. G. N. R. 177.

40.14 Set the temp. 1/4 suppost at the ar. dist. on the line
from whit. Dogwood 3 in diam. bears. West 26 the dist.
and a Beech 18 " " " N24 E. 21 " "

80.29 To the post car of sec 10 11 14 & 15. Sept. 29. 1815

East On a Random line between Sec 11 & 14. T. N. G. N. R. 177.

22.00 To a Brook 20 miles mid. Corner N.

39.50 To a small creek corner N. W.

40.00 Set a temp. 1/4 suppost.

80.25 Intersect the N 55 line 26 miles North of the post car
of sec 11 12, 13 & 14 Same as the same.

West On the same line between Sec 11 & 14. T. N. G. N. R. 177.

40.12 Set the temp. 1/4 suppost at the ar. dist. on the line
from whit. Elm 4 in diam. bears. N40 E. 18 miles dist.
and a Beech 5 " " " N67 N. 33 " "

80.25 To the post car of sec 10 11 14 & 15.

North Between Sec 10 & 11. T. N. G. N. R. 177.

22.50 To a Brook 50 miles mid. Corner N.

40.00 Set a 1/4 suppost from whit.

Beech 16 in diam. bears. N19 N. 27 miles dist; or
B. 10 " " " N38 N. 6 " "

80.00 Set a post for the car of sec 2, 3, 10 & 11 from whit.
N Walnut. 9 in diam. bears. S50 E. 27 miles dist; or
Box Elder. 3 " " " S85 N. 36 " "

Same as the same. Timber Oak & Beech generally.

Sept. 30. 1815.

East Between Sec 9 & 11. T. N. G. N. R. 177.

31.50 To a Brook 50 miles mid. Corner N. W.

40.00 Set a 1/4 suppost from whit.

Beech 15 in diam. bears. N17 E. 10 miles dist; or
Sugar 8 " " " S9 E. 20 " "

80.00 Set a post for the car of sec 1, 2, 11 & 12 from whit.
Beech 6 in diam. bears. South 10 miles dist; or
Nick 7 " " " N41 N. 17 " "

Same as the same. Timber the same.

North Between Sec 3 & 3. T. N. G. N. R. 177.

1.00 To a Brook 30 miles mid. Corner N. W.

24.00 " " Do. 40 " " " N.

40.00 Set a 1/4 suppost from whit.

Maple 13 in diam. bears. N23 N. 26 miles dist; or
Do 11 " " " N36 E. 9 " "

1947 Intersect the N Bound 877 miles West of the post car.

	<p>Set 34 B5. T 10 NR 177 and set apart for the car of Set 213 from which, Buck 6 in dist. from N 74 E. 20 links dist; 70, No. 12 " " " N 44 W. 20 " " Same here and from Timber Buck, Oak, &c.</p>
South	On a Random line between Set 33 B4 T 9 NR 177.
40.00	Set a tripit for support.
63.00	To a Borne corner W.
70.00	" " " " "
80.50	Enter cut the South Borne 16 links East of the first cut of Set 33 B4 Same the same.
North	On the line line between Set 33 B4 T 9 NR 177.
40.26	Set the tripit for support at the ar. dist. on the line from which, Nick 10 in dist. from S 29 W. 22 links dist; 70, Sugar 20 " " " N 18 E. 23 " "
80.50	To the post on of Set 27 28 33 B4
West	Return Set 27 B4 T 9 NR 177.
40.00	Set a 74 support from which, Sugar 16 in dist. from N 74 W. 21 links dist; 70, No. 10 " " " S 23 W. 14 " "
80.00	Set a post for the car of Set 27 28 33 B4 from which, Buck 22 in dist. from S 86 E. 8 links dist; 70, No. 24 " " " S 42 W. 20 " " Same set rate; Timber Buck, Sugar, & Walnut, &c.
North	Return Set 27 B28 T 9 NR 177.
40.00	Set a 74 support from which, Sugar 16 in dist. from N 84 W. 16 links dist; 70, Buck 6 " " " N 86 E. 18 " "
80.00	Set a post for the car of Set 21 22 27 B28 from which,

	<p>Buck 5 in dist. from N 44 W. 3 links dist; 70, Sugar 8 " " " S 36 E. 27 " " Same set rate.</p>
East	Return Set 22 B27 T 9 NR 177. Sept. 23 rd 1815.
40.00	Set a 74 support from which, Nick 6 in dist. from N 54 E. 2 links dist; 70, Buck 6 " " " S 46 W. 2 " "
73.00	To a plank 50 links wide, corner W. 77.
80.00	Set a post for the car of Set 22, 23, 26 & 27 from which, N Oak 16 in dist. from S 42 E. 3 1/2 links dist; 70, B Oak 4 " " " N 25 W. 35 " " Same very hilly, & Borne, Timber Oak, Ash, Buck, Sugar,
North	Return Set 21 B22 T 9 NR 177. Sept. 24 1814
36.00	To a plank 70 links wide, corner W.
40.00	Set a 74 support from which, Buck 12 in dist. from N 81 E. 16 links dist; 70, No. 6 " " " N 47 W. 21 " "
80.00	Set a post for the car of Set 15 16 21 B22 from which, N Oak 14 in dist. from S 59 W. 27 links dist; 70, Maple 11 " " " N 73 E. 18 " " Same the same.
East	Return Set 15 B22 T 9 NR 177.
98.00	To a small Buck. Corner S.
40.00	Set a 74 support from which, Poplar 40 in dist. from N 85 W. 16 links dist; 70, Buck 16 " " " S 4 E. 21 " "
80.00	Set a post for the car of Set 14 15 22 & 23 from which, Dogwood 3 in dist. from S 71 W. 22 links dist; 70, Buck 10 " " " N 41 E. 18 " "

Sand hilly and middling Good for farming.
Siberian Oak, Ash, Birch, Poplar, &c.

North Return Jul 15th T. N. G. N. R. 177.
4000 Set a 7/4 cupost from which, Sept. 25, 1815,
Birch 4 in diam. 169 ft. 9 links dist; 10,
Do. 6 " " " 137 ft. 10 " "
7000 To a small Brook Corner N.
8000 Set a post for the ca. of ew. 9. 10. 15 ft. from which,
Birch 20 in diam. 177 ft. 13 links dist; 10,
Do. 18 " " " 128 ft. 10 " "
Sand hilly Siberian Birch, Ash, Poplar, Walnut,
Sand middling for farming.

East On a Roman line between Jul 10th T. N. G. N. R. 177.
4000 Set a 7/4 cupost from which,
Dogwood 5 in diam. 177 ft. 6 links dist; 10,
Do. 5 " " " 148 ft. 6 " "
8000 Set a post for the ca. of ew. 11. 11. 14 ft. from which,
Hick 16 in diam. 162 ft. 29 links dist; 10,
Dog 10 " " " 131 ft. 15 ft. " "
Sand very hilly Soil rather thin. Siberian Oak & Birch,

North Return Jul 9th T. N. G. N. R. 177.
4000 To a Brook 30 links from, Corner N.
4000 Set a 7/4 cupost from which,
Birch 10 in diam. 147 ft. 23 links dist; 10,
Poplar 4 " " " 132 ft. 18 " "
8000 Set a post for the ca. of ew. 3. 4. 9 ft. from which,
Sugar 12 in diam. 140 ft. 3 links dist; 10,
Birch 12 " " " 143 ft. 22 " "
Sand & gravel hilly and part creek bottom. The bottom
middling Good for farming.

West Return Jul 3rd T. N. G. N. R. 177. On the same line,
3988 Set the trumpet 1/4 cupost at the ar. dist on the same line from
which, Birch 14 in diam. 156 ft. 35 links dist; 10,
Do. 14 " " " 137 ft. 26 " "
7976 To the post on of ew. 3. 4. 9 ft.

East On a Roman line between Jul 3rd T. N. G. N. R. 177.
4000 Set a trumpet 1/4 cupost.
7920 To a creek 30 links from, Corner S.
7976 Set out the N. 13 line. 51 links North of the post, ca. of
Jul. 2, 3, 10 ft. Sand hilly & poor,

North Return Jul 3rd T. N. G. N. R. 177.
1714 To a creek 100 links from, Corner N.
4000 Set a 7/4 cupost from which, A Buckeye sapling,
3 in diam. It was further ca. of 7/4 set.
7673 Set out the N. 13 line 769 links West of the post on of ew.
33734 T. N. G. N. R. 177. and set a post further ca. of
3rd from which,
Birch 4 in diam. 142 ft. 22 links dist; 10,
Do. 16 " " " 166 ft. 17 " "
Sand with bottom, rich soil. Siberian Oak & Birch,

South On a Roman line between Jul 3rd T. N. G. N. R. 177.
4000 Set a trumpet 1/4 cupost.
5350 To a Brook 10 links from, Corner S.E.
8010 Set out the S. 13 line 146 links East of the post on of
Jul. 32 133. Sand & gravel; Siberian Walnut, Sugar, Birch,
Ash &c.

North Return Jul 32 133 T. N. G. N. R. 177.
4006 Set the trumpet 1/4 cupost at the ar. dist on the same line from
which, Birch 30 in diam. 146 ft. 5 links dist;

T. N. G. N. R. No 177 2nd Men. Ind.

80.10	and a 9 Bech. 18 in dia. beam N 3 E. 24 the dist To the post on of 28.29.32 133.
West	Return Jul 29 132 T. G. N. R. 177.
11.00	To a Brook 10 links wide, Corner N. E.
35.00	" " No. 15 " " " "
40.00	Set a 7/8 suppost from which, Bech. 30 in dia. beam N 60 W. 16 links dist. 1/2, No. 4 " " " N 60 E. 9 " "
80.00	Set a post for the corner of 29.30.31 133 from which, Dogwood 5 in dia. beam N 7 W. 10 the dist. 1/2, No. 4 " " " S 15 E. 15 " " Good farming land.
West	Return Jul 28 133 T. G. N. R. 177
40.00	Set a 7/8 suppost from which, Sugar 10 in dia. beam S 3 W. 25 links dist. 1/2, No. 24 " " " N 6 E. 22 " "
62.50	To a Brook Corner N.
80.00	Set a post for the corner of 28.29.32 133 from which, Sugar 6 in dia. beam N 40 W. 20 links dist. 1/2, No. 18 " " " N 72 E. 32 " " Land 1st rate Timber Sugar Bech, Ash.
South	On a Random line between Jul 28 129 T. G. N. R. 177
40.00	Set a trip 7/8 suppost Sept. 24 1816.
43.00	To a Brook 10 links wide, Corner N. E.
55.50	" " No. 10 " " " N. E.
80.30	Intersect the East 8th Mer line 62 links East of the post on of 28.29.32 133 Land 1st rate Timber Sugar Walnut, Bech, Yew
North	Return Jul 28 129 T. G. N. R. 177 New line Comp?

T. N. G. N. R. No 177 2nd Men. Ind.

40.15	Set the trip 7/8 suppost at the cor. dist on the new line from which, Bech. 6 in dia. beam N 13 E. 8 links dist. and a No. 8 " " " N 42 W. 26 " "
80.30	To the post on of 20.21.28 129
West	On the New line between Jul 21 128 T. G. N. R. 177.
39.36	Set the trip 7/8 suppost at the cor. dist on the new line from which, Ash. 40 in dia. beam S 22 W. 11 the dist. and a Ash 36 " " " N 44 E. 13 " "
78.73	To the post on of 20.21.28 129
East	On a Random line between Jul 21 128 T. G. N. R. 177.
1.01	To a small Brook Corner N. E.
20.00	To a Brook 30 links wide Corner N.
40.00	Set a trip 7/8 suppost.
68.00	To a Brook 10 links wide, Corner N.
78.73	Intersect the N 13 line 21 links North of the post on. of 21.22.27 128. Good farming land.
North	Return Jul 20 129 T. G. N. R. 177.
40.00	Set a 7/8 suppost from which, Ash. 24 in dia. beam S 22 W. 6 links dist. 1/2, No. 24 " " " N 8 E. 20 " "
57.50	To a Brook 15 links wide, Corner N.
80.00	Set a post for the corner of 16.17.20 129 from which, Sugar 12 in dia. beam N 44 W. 5 links dist. 1/2, Bech. 18 " " " N 43 E. 18 " " Land rolling and 2nd rate; Timber Bech, Sugar, Yew
East	On a Random line between Jul 16 124 T. G. N. R. 177
21.00	To a Brook 20 links wide, Corner N. W.
40.00	Set a trip 7/8 suppost.
80.08	Intersect the N 13 line 81 links North of the post on.

I. N. 9. N. R. N. 177 2nd Mer. Ind.

	13.16.21 1877 Lands on the West & some; last & Hilley & Prov.
West	On the line between Jul 16 & 21. I. N. R. 177.
40.04	Set the timber in support at the ar. arch on the line line from which, Beach. 10 in dist. from N 62 W 19 the air under a R Oak. 36 " " " N 45 E 19 " "
80.08	To the post ca of sec. 16. 17. 20 & 21.
South	On a Random line between Jul 16 & 17. I. N. R. 177.
3.50	To a locust 60 links under corner N. W.
44.00	" " 100 " " " " N. E.
20.00	To " 100 " " " " " "
40.00	Set a timber in support.
79.00	Intersect the East & West line 15 links West of the post ca of sec. 16. 17. 20 & 21. Lands rich and good for farming.
North	On the line between Jul 16 & 17. I. N. R. 177.
39.50	Set the timber in support at the ar. arch on the line line from which, N Oak 12 in dist. from N 31 W 8 the arch under a Hackberry 15 " " " N 74 E 26 " "
79.00	To the post ca of sec. 8. 9. 16 & 17.
South	Oct. 1878 1815.
30.00	On a Random line between Jul 8 & 9. I. N. R. 177.
40.00	To a locust 100 links under corner N.
63.00	Set a timber in support.
80.25	To a Birch 10 links under corner N.
	Intersect the East & West line 13 links West of the post ca of sec. 8. 9. 16 & 17. Lands part level & part Hilley 3. rate.

I. N. 9. N. R. N. 177 2nd Mer. Ind.

North	On the line between Jul 8 & 9. I. N. R. 177.
40.10	Set the timber in support at the ar. arch on the line line from which, Beach. 18 in dist. from N 37 W 24 the arch under a N Oak. 18 " " " N 24 E 29 " "
80.25	To the post ca of sec. 4. 5. 8 & 9.
West	Return Jul 4 & 9. I. N. R. 177.
33.50	To a locust 100 links under corner N. E.
40.00	Set a timber in support from which,
	Beach 10 in dist. from N 27 W 10 links dist. on, Do. 10 " " " N 15 W 9 " "
80.00	Set a post for the ca of sec. 4. 5. 8 & 9 from which,
	Beach 14 in dist. from N 31 W 17 links dist. on, Do 14 " " " N 41 E 13 " "
	Lands level & not; not very good for farming Timber Beach, Hickory, Gum, Oak &c.
North	Return Jul 4 & 5. I. N. R. 177.
40.00	Set a timber in support from which,
	Beach. 12 in dist. from West 6 links dist. on, Hicks 18 " " " N 68 E 28 " "
78.68	Intersect the N. Boundary 818 links West of the post ca of sec. 32 & 33. I. N. R. 177 and set a post for " " " 4 & 5 from which,
	N Oak 18 in dist. from N 50 E 14 links dist. on, Beach. 18 " " " N 52 W 9 " "
	Lands level and not; Timber Beach, Gum, Oak, & not very good for farming
South	On a Random line between Jul 31 & 32. I. N. R. 177.
40.00	Set a timber in support
79.86	Intersect the South Boundary 56 links West of the post ca of sec. 31 & 32. Lands 2nd rate Timber Oak.

T. N. G. N. R. N. 1 W. 2nd. (Mrs. Ind.)

39.41	Set the trip. 1/2 sup. post at the car dish on the line from which, Sugar 3 in dist. from 92 E. 3 the dist. and a Do. 24 " " N 63 E 12 " "
79.83	Set the post on of ew. 17. 18. 19 & 20
West 40.00	Return Jul 17/18 T. G. N. R. 1 W. Set a 1/2 sup. post from which, Beck 18 in dist. from 94 E. 3 links dist; to, Do 4 " " " N 15 E. 16 " "
78.50	To a post 30 links from, corner N.
80.00	Set a post for the car of ew. 17. 18. 19 & 20 from which, Nackberry 36 in dist. from N 64 E. 11 the dist; to, Sugar 14 " " " N 31 E. 25 " " Land good for farming; Timber Walnut Sugar Beck &c.
West 40.00	Return Jul 18/19 T. G. N. R. 1 W. Set a 1/2 sup. post from which, Beck 18 in dist. from N 24 W 3 links dist; to, Sugar 9 " " " S 32 W 39 " "
72.39	Set a post for the West Roman 186 links North of the post car of ew. 13 & 24 T. G. N. R. 2 W and set a post for the " " " 18/19 from which, Nicky 12 in dist. from N 24 E. 11 the dist; to, Do 12 " " " S 8 W 16 " " Land the same. Timber Beck, Sugar, Poplar & Oak.
North 40.00	Return Jul 17/18 T. G. N. R. 1 W. In line Set a 1/2 sup. post from which, Sugar in dist. from S 51 E. 14 links dist; to, Do 11 " " " N 4 E. 20 " "
80.21	Set the post on of ew. 7. 8. 17 & 18.

T. N. G. N. R. N. 1 W. 2nd. (Mrs. Ind.)

South 40.00	On a Roman line between Jul 17. 18. T. G. N. R. 1 W. Set a trip. 1/2 sup. post.
80.21	Set a post for the car of ew. 17. 18. 19 & 20. Land the same.
West 40.00	Return Jul 8/17 T. G. N. R. 1 W. Set a 1/2 sup. post from which, Beck 8 in dist. from N 52 W. 22 links dist; to, Do 30 " " " N 34 E. 10 " "
75.50	To a post 15 links from, corner N.
80.00	Set a post for the car of ew. 7. 8. 17 & 18 from which, Beck 10 in dist. from N 13 W 18 links dist; to, Do 30 " " " S 60 E. 16 " " Land post hill, Spout land; Good for farming Timber Beck, Sugar, & Poplar.
West 40.00	Return Jul 7/18 T. G. N. R. 1 W. Set a 1/2 sup. post from which, Nackberry 12 in dist. from N 41 E. 5 the dist; to, Dogwood 9 " " " N 41 E. 13 " "
72.90	Set a post for the West Roman 150 links North of the post car of ew. 12 & 13. T. G. N. R. 2 W and set a post for the " " " 17/18 from which, Poplar 4 in dist. from S 3 E. 6 links dist; to, Dogwood 6 " " " N 2 E. 16 " " Land good for farming.
South 40.00	On a Roman line between Jul 7/18 T. G. N. R. 1 W. Set a trip. 1/2 sup. post
80.50	Set a post for the car of ew. 7. 8. 17 & 18. Land post bottom & meadow, good for farming

T. N. 9. N. R. N. 177 2nd Mer. Ind.

North On the line between Sec. 4 & 5 T. 9. N. R. 177
 40.28 Set the temporary corner at the air drill on the line
 from which
 Bech 11 in air line. N 80 E. 13 lbs. dist. to
 Sugar 9 " " S 29 W. 26 " "
 80.56 Set the post on gear 5, 6, 7 & 8.

West Between Sec. 5 & 8. T. 9. N. R. 177.
 40.00 Set a 7th corner from which
 B. Oak 12 in air line. S 28 E. 6 lbs. dist. to
 Maple 10 " " N 64 W. 30 " "
 45.00 To a Brook 100 yds. wide, corner to
 65.00 " " Do. " 20 " " " " "
 80.00 Set apart from the corner 5, 6, 7 & 8 from which
 Bech 20 in air line. N 28 E. 17 lbs. dist. to
 Do. 11 " " S 54 W. 16 " "
 Land East of corner. West part still, & part
 creek bottom, Timber Bech &c.

West Between Sec. 6 & 7. T. 9. N. R. 177
 39.00 To a Spring Branch Co. S. E.
 40.00 Set a 7th corner from which
 Bech 7 in air line. N 63 E. 17 lbs. dist. to
 Do. 20 " " S 21 W. 12 " "
 72.89 Intake at the West Corner 100 yds. North of the
 post on gear 1 & 2 T. 9. N. R. 177. and set apart
 from " " 6 & 7 from which
 Sugar 12 in air line. S 49 E. 18 lbs. dist. to
 Do. 20 " " S 62 W. 30 " "
 Land rolling Timber Bech, Sugar, Poplar,
 Ash Walnut, & good land for farming.

Oct. 2^d 1845.T. N. 9. N. R. N. 177 2nd Mer. Ind.

North Between Sec. 5 & 6. T. 9. N. R. 177.
 40.00 Set a 7th corner from which
 Bech 30 in air line. N 45 W. 16 lbs. dist. to
 Do. 24 " " S 10 E. 40 " "
 78.88 Intake at the N. Corner 720 yds. West of the post
 on gear 3 & 4 T. 9. N. R. 177 and set apart from
 " " 5 lbs. from which
 Bech 5 in air line. N 16 E. 23 lbs. dist. to
 Elm 20 " " S 18 E. 19 " "
 Land hilly and soil muddling; Timber Oak, Ash,
 Bech, & Poplar.

Surveyed by
 William Harris.
 Sept. 1845.

West Between Sec. 9 & 16 var. 5.50 E.
 40.00 Set a 7th corner from which
 a Bech 15 in. diam. - bear S 16 E. 16 lbs. dist. to
 a Sugar 6 " " N 11 E. 10 " "
 62.00 a dry branch 15 lbs. wide corner N. W.
 80.00 Set post corner to Sec. 8, 9, 16 & 17 from which
 a Bech 12 in. diam. - bear N 15 E. 14 lbs. dist. to
 a N. Oak 12 " " S 63 W. 16 " "
 Land hilly, Oak, Bech, Sugar, Poplar &c.

I certify that the foregoing Transcript of the field
 notes of Township N. 9. North of Range No. 1 West
 of the 2nd Principal Meridian, has been compared with the Original notes in the
 files of the General Office,
 Cincinnati. Oct. 20 1845
 Sur. Genl.